





## UNIX CLUSTER

	 VCS 3.5	 ServiceGuard	 CAA	 ASE
<b>Stato del cluster</b>	hastatus -sum	cmviewcl	caa_stat -t -v	asemgr -d
<b>Start di un servizio</b>	hagr -online <i>service</i> -sys <i>node</i>	cmrunpkg [-n <i>node</i> ] <i>service</i>	caa_start <i>service</i>	asemgr -s <i>service</i> [ <i>node</i> ]
<b>Stop di un servizio</b>	hagr -offline <i>service</i> -sys <i>node</i>	cmhaltpkg [-n <i>node</i> ] <i>service</i>	caa_stop <i>service</i>	asemgr -x <i>service</i>
<b>Switch di un servizio</b>	hagr -switch <i>service</i> -to <i>node</i>		caa_relocate <i>service</i> -c <i>node</i>	asemgr -r <i>service</i> [ <i>node</i> ]
<b>Stop del cluster e dei servizi</b>	hastop -all	cmhaltcl		
<b>Stop del solo cluster</b>	hastop -all -force			
<b>Dettaglio configurazione</b>	hasys -display hagr -display hares -display	cmviewcl -v	caa_stat -f	asemgr -d
<b>File di configurazione</b>	/etc/VRTSvcs/conf/config/main.cf	/etc/cmcluster/cluster.ascii /etc/cmcluster/service/service.ascii	/var/cluster/caa/profile	